



TYM

Series 4
75HP
Product
Range

2023 UK Catalogue

www.tymtractor.co.uk

Series 4

Compact Utility

T78C

The Series 4 tractors are at the top-end of the compact range, with optimized dimensions and maximized lift capabilities. An efficient engine and a larger fuel tank make these tractors ideal for semi-private to commercial-scale challenges.









T78C

Series 4 Compact Utility



1. New TYM Seat
2. Standard 4 Rear Remote Valves (2 Float detent / Spring)
3. External 3-Point Linkage Switch
4. Wireless Smart Phone Charger with Cold/Hot Cupholders
5. Electronic Pedal
6. LED Signature Lighting

Features



Deutz 4 Cylinder Stage V Engine

The powerful common rail injection system and highly efficient combustion process with cooled external exhaust gas recirculation ensures optimum engine performance at low fuel consumption and exhaust emissions.



New TYM Family Look

TYM's tractor design at its finest. With the iconic TYM family look newly introduced to the T78, every inch of the tractor now displays even more enhanced modern elegance and power.



Maximum Convenience

Fully equipped with the newest modern amenities to maximize operator comfort, the T78 tractor comes complete with a newly designed, extra-large hot/cold cup holder, electronic pedals, electronic external 3-point link switch and so much more.



Full LED Work Lights

Full exterior and interior LED work lights facilitate safer operations, particularly in low visibility conditions such as rainy or dusty work environments. A digital display indicates tractor performance and engine vitals, which is critical for low visibility operations.



Electronic 4 Wheel Drive

The T78 is equipped with selectable 4 wheel drive to make work possible even in the most challenging environments.



Enhanced Cabin

Your work place is important. The T78 comes with upgraded cabin features to ensure your comfort when operating the tractor. The T78 tractor cabin comes with the newest air-suspension TYM seat, high cabin for greater visibility, and wireless phone charger dock as well as a USB port to keep you connected while working.

Technical Specifications

Engine		T78C
Manufacturer, Model, Engine HP(kw)-Gross	Deutz, TCD2.9L4, 75.3(55.4)	
Rated engine speed	2,200	
Number of cylinders	4	
Displacement-cu.in. (cc)	177 (2,900)	
Air cleaner, PTO HP (kw)	Dual Dry, 64.1 (47.8)	
Alternator	12V, 95A	
Fuel System Type	CRDI	
Drivetrain		
Transmission Type	Power-Shuttle	
Number of speeds	16F/16R (creep interlock)	
Max travelling speed, mph (km/h)	24.1 (38.8)	
Brakes,Steering	Wet Disc, Hydrostatic	
Clutch	Wet multi plate	
Hydraulic system		
Hitch lift capacity, lb. (kg)	5,154 (2,338)	
at 24 inches behind link ends, lb. (kg)	3,479 (1,578)	
Lift control type	Position/Draft	
No. of standard remote valves (option)	2	
PTO		
Mid (RPM)-option, Rear (RPM)	N/A, 540/780	
Capacities		
Fuel Tank, U.S. gal. (L)	23,8 (90)	
Dimensions(with standard tyres)		
Overall length, in. (mm) with 3P	157.5 (4,002)	
Overall width, in. (mm)	76.4 (1,940)	
Wheelbase, in. (mm)	86.1 (2,188)	
Height to top of ROPS, in. (mm)	103.3 (2,624)	
Min. Ground Clearance, in (mm)	18.3 (465)	
Min. Turning Radius, in (mm) with brakes	145.7 (3,700)	
Min. Turning Radius, in (mm) w/o brakes	162.8 (4,135)	
Total Weight,lb (kg)	6,052 (2,745)	
Standard Tyres		
Agricultural Front	11.2-24	
Agricultural Rear	16.9-30	
Turf Front	-	
Turf Rear	-	
Industrial Front	-	
Industrial Rear	-	

TYM Tractors + Branson Tractors
are now



TYM



Together as One

TYM CORPORATION

sales@tymtractor.co.uk

© 2023 TYM CORPORATION. All rights reserved. Rev 12/2022
Specifications and features subject to change without notice.

www.tymtractor.co.uk